Date printed 17.03.2020, Revision 17.03.2020

Version 02. Supersedes version: 01

Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Acryl Früh Regenbeständig 165

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Sealing material

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ramsauer GmbH & Co KG

Sarstein 17

4822 Bad Goisern / H. / AUSTRIA Phone +43(0)6135 8205-0 Fax +43(0)6135 8323 Homepage www.ramsauer.at E-mail office@ramsauer.at

Address enquiries to

Technical informationoffice@ramsauer.atSafety Data Sheetsdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

Product treated with preservatives C(M)IT/MIT (3:1) (CAS: 55965-84-9).

Contains: 1,2-benzisothiazol-3(2H)-one, Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-

Methyl-4-isothiazolin-3-one (3:1). EUH208 May produce an allergic reaction.

2.3 Other hazards

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

Date printed 17.03.2020, Revision 17.03.2020 Version 02. Supersedes version: 01

Page 2 / 11

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

| Range [%] | Substance |
|-------------------|--|
| 10 - <20 | Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics |
| | EINECS/ELINCS: 932-078-5, Reg-No.: 01-2119552497-29-XXXX |
| | GHS/CLP: Asp. Tox. 1: H304 |
| 0,005 - <0,05 | 1,2-benzisothiazol-3(2H)-one |
| | CAS: 2634-33-5, EINECS/ELINCS: 220-120-9, EU-INDEX: 613-088-00-6 |
| | GHS/CLP: Acute Tox. 4: H302 - Skin Irrit. 2: H315 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: |
| | H400, |
| | M_acute = 1 |
| 0,00015 - <0,0015 | Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1) |
| | CAS: 55965-84-9, EU-INDEX: 613-167-00-5 |
| | GHS/CLP: Acute Tox. 3: H301 H311 H331 - Skin Corr. 1B: H314 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - |
| | Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, |
| | M_acute = 1, M_chronic = 1 |

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off with warm water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

Most important symptoms and effects, both acute and delayed

Irritant effects Allergic reactions

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media Carbon dioxide.

Water spray jet. Dry powder. Foam.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:

Carbon monoxide (CO) Nitrogen oxides (NOx).

Date printed 17.03.2020, Revision 17.03.2020

Version 02. Supersedes version: 01

Page 3 / 11

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Wear suitable protective equipment. For personal protection see SECTION 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder,

diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Do not eat or drink when working.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container. Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed. Protect from heat/overheating.

Keep in a cool place. Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

Date printed 17.03.2020, Revision 17.03.2020

Version 02. Supersedes version: 01

Page 4 / 11

8.2 **Exposure controls**

Additional advice on system design Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Safety glasses. (EN 166:2001) Eye protection

Hand protection 0,4 mm; Nitrile rubber, >120 min (EN 374-1/-2/-3).

pasty

The details concerned are recommendations. Please contact the glove supplier for further

Protect the environment by applying appropriate control measures to prevent or limit

Skin protection light protective clothing

Other Avoid contact with eyes and skin.

Do not inhale vapours.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition emissions.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Color white Odor characteristic Odour threshold not applicable

not applicable pH-value pH-value [1%] not determined Boiling point [°C] not applicable Flash point [°C] not applicable Flammability (solid, gas) [°C] not determined Lower explosion limit not applicable not applicable Upper explosion limit

Oxidising properties

Vapour pressure/gas pressure [kPa] not determined Density [g/ml] not determined Bulk density [kg/m³] not applicable Solubility in water virtually insoluble Partition coefficient [n-octanol/water] not determined Viscosity not applicable

Relative vapour density determined

in air

Form

not determined

Evaporation speed not determined Melting point [°C] not determined Autoignition temperature [°C] not applicable Decomposition temperature [°C] not determined

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

Safety Data Sheet 1907/2006/EC - REACH (GB) Acryl Früh Regenbeständig 165

Ramsauer GmbH & Co KG 4822 Bad Goisern / H.

Date printed 17.03.2020, Revision 17.03.2020

Version 02. Supersedes version: 01

Page 5 / 11

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7

10.5 Incompatible materials

Strong oxidizing agent.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 17.03.2020, Revision 17.03.2020

Version 02. Supersedes version: 01

Page 6 / 11

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product

inhalative. Based on the available information, the classification criteria are not fulfilled:

dermal, Based on the available information, the classification criteria are not fulfilled.:

oral, Based on the available information, the classification criteria are not fulfilled .:

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

LD50, dermal, Rat: > 5000 mg/kg (EPA OPP 81-2).

LD50, oral, Rat: 670-784 mg/kg (EPA Guideline)

LD50, oral, Rat: 1020 mg/kg.

NOAEL, oral, Rat: 10 mg/kg/90d (OECD 408)

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

LD50, dermal, Rabbit: >3160 mg/kg.

LD50, oral, Rat: >5000 mg/kg

LC50, inhalative, Rat: >5266 mg/l.

Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1), CAS: 55965-84-9

LD50, dermal, Rabbit: 87,12 mg/kg (ECHA, CLH Report).

LD50, oral, 64 mg/kg (ECHA, CLH Report).

LD50, oral, Rat: 53 mg/kg.

LC50, inhalative, Rat: 0,171 mg/l/4h (ECHA, CLH Report)

Serious eye damage/irritation

Skin corrosion/irritation

Respiratory or skin sensitisation

Specific target organ toxicity —

single exposure

Specific target organ toxicity —

repeated exposure

Mutagenicity

Reproduction toxicity

Carcinogenicity Aspiration hazard

General remarks

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

May cause an allergic skin reaction.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Does not contain a relevant substance that meets the classification criteria.

Does not contain a relevant substance that meets the classification criteria.

Does not contain a relevant substance that meets the classification criteria.

Based on available data, the classification criteria are not met.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Date printed 17.03.2020, Revision 17.03.2020

Version 02. Supersedes version: 01

Page 7 / 11

SECTION 12: Ecological information

12.1 Toxicity

| 1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5 | |
|---|--|
| LC50, (96h), Oncorhynchus mykiss: 1,4 mg/l (OECD 203). | |
| LC50, (96h), Oncorhynchus mykiss: 0,8 mg/l. | |
| EC50, (72h), Pseudokirchneriella subcapitata: 0,11 mg/l (OECD 201). | |
| EC50, (48h), Daphnia magna: 1,05 mg/l (OECD 202). | |
| EC50, (48h), Daphnia magna: 4,4 mg/l. | |
| EC10, (72h), Pseudokirchneriella subcapitata: 0,04 mg/l (OECD 201). | |
| Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics | |
| EL50, (72h), Algae: 10 g/L. | |
| LL50, (48h), Invertebrates: 3.193 g/L. | |
| LL50, (96h), fish: 1.028 g/L. | |
| Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1), CAS: 55965-84-9 | |
| LC50, (96h), Oncorhynchus mykiss: 0,19 mg/l. | |
| EC50, (48h), Daphnia magna: 0,18 mg/l. | |
| ErC50, Skeletonema costatum: 0,003 mg/l. | |

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant

not determined

Biological degradability

not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available.

Date printed 17.03.2020, Revision 17.03.2020

Version 02. Supersedes version: 01

Page 8 / 11

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

070299

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102

SECTION 14: Transport information

14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

Safety Data Sheet 1907/2006/EC - REACH (GB)

Acryl Früh Regenbeständig 165

Ramsauer GmbH & Co KG 4822 Bad Goisern / H.

Date printed 17.03.2020, Revision 17.03.2020

Version 02. Supersedes version: 01

Page 9 / 11

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2015/830; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

no

- VOC (2010/75/CE)

0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H410 Very toxic to aquatic life with long lasting effects.

H314 Causes severe skin burns and eye damage.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H400 Very toxic to aquatic life.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H315 Causes skin irritation. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

Date printed 17.03.2020, Revision 17.03.2020

Version 02. Supersedes version: 01

Page 10 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

SECTION 3 been added: Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one/2:1)

isothiazolin-3-one (3:1)

SECTION 3 been added: 1,2-benzisothiazol-3(2H)-one

SECTION 2 been added: Product treated with preservatives [x].

SECTION 2 been added: Further hazards were not determined with the current level of knowledge.

SECTION 4 been added: Allergic reactions

SECTION 8 been added: Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

SECTION 8 been added: In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection.

SECTION 11 been added: May cause an allergic skin reaction.

SECTION 13 been added:

SECTION 13 deleted:

Safety Data Sheet 1907/2006/EC - REACH (GB) Acryl Früh Regenbeständig 165

Ramsauer GmbH & Co KG 4822 Bad Goisern / H.

Date printed 17.03.2020, Revision 17.03.2020

Version 02. Supersedes version: 01

Page 11 / 11

Copyright: Chemiebüro®