Kachelofen 420

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 26.10.2023, Revision 26.10.2023

Version 1.0

Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Kachelofen 420

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Sealing material

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ramsauer GmbH & Co KG

Alte Bundesstraße 147

5350 Strobl / Wolfgangsee / AUSTRIA

Phone +43 (0)6135 8205 0 Fax +43 (0)6135 8205-250 Homepage www.ramsauer.eu E-mail office@ramsauer.eu

Address enquiries to

Technical information office@ramsauer.eu

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body +43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

Product treated with preservatives C(M)IT/MIT (3:1) (CAS: 55965-84-9).

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not

breathe spray or mist.

Contains: Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1),

1,2-benzisothiazol-3(2H)-one. EUH208 May produce an allergic reaction.

2.3 Other hazards

Environmental hazardsDoes not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

| Date printed 26.10.2023, Revision 26.10.2023 | Version 1.0 | Page 2 / 13 |
|--|-------------|-------------|
|--|-------------|-------------|

3.2 Mixtures

The product is a mixture.

| Range [%] | Substance |
|------------------|---|
| 1 - <5 | Titanium dioxide (<10µm) |
| | CAS: 13463-67-7, EINECS/ELINCS: 236-675-5, EU-INDEX: 022-006-002 |
| | GHS/CLP: Carc. 2: H351 |
| 0.005 - <0.05 | 1,2-benzisothiazol-3(2H)-one |
| | CAS: 2634-33-5, EINECS/ELINCS: 220-120-9, EU-INDEX: 613-088-00-6, Reg-No.: 01-2120761540-60-XXXX |
| | GHS/CLP: Acute Tox. 4: H302 - Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Eye Dam. 1: H318 - Aquatic Acute 1: H400 - Aquatic Chronic 2: H411, |
| + | M-Factor (acute): 1 |
| | SCL [%]: >= 0.05: Skin Sens. 1: H317 |
| 0.00015 - 0.0015 | Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1) |
| | CAS: 55965-84-9, EINECS/ELINCS: 611-341-5, EU-INDEX: 613-167-00-5 |
| | GHS/CLP: Acute Tox. 3: H301 - Acute Tox. 2: H310 - Skin Corr. 1C: H314 - Eye Dam. 1: H318 - Skin Sens. 1A: H317 - Acute Tox. 2: H330 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - EUH071, M-Factor (acute): 100, M-Factor (chronic): 100 |
| | SCL [%]: 0.0015: Skin Sens. 1A: H317, 0.06 - <0.6: Skin Irrit. 2: H315, 0.6: Skin Corr. 1C: H314, 0.06 - <0.6: Eye Irrit. 2: H319, 0.6: Eye Dam. 1: H318 |

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Headache Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray jet.

Dry powder. Carbon dioxide. Foam.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:

Carbon monoxide (CO)

Kachelofen 420

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 26.10.2023, Revision 26.10.2023

Version 1.0

Page 3 / 13

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder,

diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep in a cool place. Store in a dry place.

Protect from heat/overheating

Keep away from frost.

7.3 Specific end use(s)

See product use, SECTION 1.2

Kachelofen 420

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 26.10.2023, Revision 26.10.2023 Version 1.0 Page 4 / 13

SECTION 8: Exposure controls / personal protection

8.1 **Control parameters**

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance 1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5 Industrial, dermal, Long-term - systemic effects, 0.966 mg/kg bw/day Industrial, inhalative, Long-term - systemic effects, 6.81 mg/m³ general population, dermal, Long-term - systemic effects, 0.345 mg/kg bw/day general population, inhalative, Long-term - systemic effects, 1.2 mg/m³

PNEC

Substance 1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5 soil, 3 mg/kg soil dw sediment (freshwater), 4.99 µg/kg sediment dw sediment (freshwater), 49.9 µg/kg sediment dw seawater, 0.403 µg/L freshwater, 4.03 µg/L sewage treatment plants (STP), 1.03 mg/L

Exposure controls 8.2

Additional advice on system design Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection 0.7 mm Butyl rubber, >480 min (EN 374-1/-2/-3).

The details concerned are recommendations. Please contact the glove supplier for further

Skin protection Not required under normal conditions. Other Avoid contact with eyes and skin.

In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear Respiratory protection

appropriate respiratory protection.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions.

Kachelofen 420

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 26.10.2023, Revision 26.10.2023 Version 1.0 Page 5 / 13

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid **Form** pasty Color various Odor characteristic **Odour threshold** not determined pH-value not determined pH-value [1%] not determined Boiling point [°C] not applicable Flash point [°C] not applicable Flammability not relevant Lower explosion limit not applicable **Upper explosion limit** not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

Density [g/cm³] 1.5 (ISO 1183 B)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water virtually insoluble

Solubility other solvents No information available.

Partition coefficient [n-octanol/water] not determined
Kinematic viscosity not applicable
Relative vapour density not relevant
Evaporation speed not relevant
Melting point [°C] not relevant
Auto-ignition temperature [°C] not applicable
Decomposition temperature [°C] not determined

Particle characteristics No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

not determined

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 26.10.2023, Revision 26.10.2023 Version 1.0 Page 6 / 13

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Kachelofen 420

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 26.10.2023, Revision 26.10.2023 Version 1.0 Page 7 / 13

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on available data, the classification criteria are not met.

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

LD50, oral, Rat, 490 - 670 mg/kg bw

Titanium dioxide (<10µm), CAS: 13463-67-7

LD50, oral, Rat, >5000 mg/kg (OECD 425)

NOAEL, oral, Rat, 3500 mg/kg/d (90d)

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

LD50, oral, 64 mg/kg (ECHA. CLH Report)

LD50, oral, Rat, 53 mg/kg

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5 LD50, dermal, Rat, > 2000 mg/kg bw

Titanium dioxide (<10µm), CAS: 13463-67-7

Thaniam dioxide (<10µm), 6716. 10400 07

LD50, dermal, Rabbit, >5000 mg/kg

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

LD50, dermal, Rabbit, 87.12 mg/kg (ECHA. CLH Report)

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Substance

Titanium dioxide (<10µm), CAS: 13463-67-7

LC50, inhalative, Rat, >6.8 mg/l/4h

NOAEC, inhalative, Rat, 10 mg/m³ (90d)

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

LC50, inhalative, Rat, 0.171 mg/l/4h (ECHA. CLH Report)

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

in vitro, OECD 437, Can cause irreversible damage to the eyes.

Titanium dioxide (<10µm), CAS: 13463-67-7

no adverse effect observed

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

dermal, Rabbit, In vivo study, non-irritating

Titanium dioxide (<10µm), CAS: 13463-67-7

dermal, non-irritating

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met. May cause an allergic skin reaction.

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

www.chemiebuero.de, Phone +49 (0)941-646 353-0, 231006

rms00312 EU

Kachelofen 420

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 26.10.2023, Revision 26.10.2023

Version 1.0

Page 8 / 13

dermal, Guinea pig, In vivo study, sensitising

Titanium dioxide (<10µm), CAS: 13463-67-7

dermal, non-sensitizing

Specific target organ toxicity —

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

single exposure

Based on available data, the classification criteria are not met.

repeated exposure

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

NOAEL, oral, Rat, 69 - 150 mg/kg bw/day, The effects observed are not sufficient for classification.

Mutagenicity

Does not contain a relevant substance that meets the classification criteria.

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

in vitro, OECD 476, no adverse effect observed

Titanium dioxide (<10µm), CAS: 13463-67-7

no adverse effect observed

Reproduction toxicity

Does not contain a relevant substance that meets the classification criteria.

- Fertility

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

NOAEL, oral, Rat, 112 mg/kg bw/day, no adverse effect observed

- Development

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

NOAEL, oral, Rat, 112 mg/kg bw/day, no adverse effect observed

Titanium dioxide (<10µm), CAS: 13463-67-7

NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed

Carcinogenicity

The contained dangerous materials are not freely available with foreseeable use.

Substance

Titanium dioxide (<10µm), CAS: 13463-67-7

Harmonised classification: Carc. 2 H351

Aspiration hazard

Based on available data, the classification criteria are not met.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

Contains no ingredients with endocrine-disrupting properties.

properties

11.2.2 Other information none

Kachelofen 420

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

| Date printed 26.10.2023, Revision 26.10.2023 Version 1.0 | Page 9 / 13 |
|--|-------------|
|--|-------------|

SECTION 12: Ecological information

12.1 Toxicity

| Substance |
|---|
| 1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5 |
| LC50, (96h), fish, 2.15 - 22 mg/L |
| EC50, (72h), Algae, 70 - 150 μg/L |
| EC50, (48h), Invertebrates, 2.9 - 2.94 mg/L |
| Titanium dioxide (<10µm), CAS: 13463-67-7 |
| LC50, (48h), Daphnia magna, > 100 mg/l (OECD 202) |
| LC50, (96h), Oncorhynchus mykiss, > 100 mg/l (OECD 203) |
| LC50, (96h), Pimephales promelas, > 1000 mg/l |
| EC50, (72h), Pseudokirchneriella subcapitata, 16 mg/l |
| NOEC, (28d), Bacteria, >100000 mg/kg (ASTM 1706) |
| Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9 |
| LC50, (96h), Oncorhynchus mykiss, 0.19 mg/l |
| EC50, (48h), Daphnia magna, 0.18 mg/l |
| ErC50, Skeletonema costatum, 0.003 mg/l |

12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

Behaviour in sewage plant

not determined

Biological degradability

not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.

Kachelofen 420

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 26.10.2023, Revision 26.10.2023

Version 1.0

Page 10 / 13

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

070299

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

Air transport in accordance with IATA not applicable

Kachelofen 420

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 26.10.2023, Revision 26.10.2023

Version 1.0

Page 11 / 13

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex I (REACH) The product is not subject to Annex I restrictions.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (EU):

- Observe employment restrictions n

for people

no

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

not applicable

Kachelofen 420

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 26.10.2023, Revision 26.10.2023

Version 1.0

Page 12 / 13

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

EUH071 Corrosive to the respiratory tract.

H410 Very toxic to aquatic life with long lasting effects.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

H310 Fatal in contact with skin.

H301 Toxic if swallowed.

H411 Toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H302 Harmful if swallowed.

H351 Suspected of causing cancer.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

Classification procedure

Kachelofen 420

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 26.10.2023, Revision 26.10.2023

Version 1.0

Page 13 / 13

Modified position

SECTION 9 been added: liquid SECTION 9 deleted: pasty

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

Copyright: Chemiebüro®