Date printed 25.06.2020, Revision 25.06.2020

Version 04. Supersedes version: 03

Page 1 / 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Vitrine 470

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Sealing material

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ramsauer GmbH & Co KG

Sarstein 17

4822 Bad Goisern / H. / AUSTRIA Phone +43(0)6135 8205-0 Fax +43(0)6135 8323 Homepage www.ramsauer.at E-mail office@ramsauer.at

Address enquiries to

Technical information office@ramsauer.at **Safety Data Sheet** sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Contact with moisture liberates acetic acid.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

Date printed 25.06.2020, Revision 25.06.2020

Version 04. Supersedes version: 03

Page 2 / 10

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
10 - <25	Benzene, mono- C12- 13- branched alkyl derivs., fractionation bottoms
	CAS: 151911-58-9
	GHS/CLP: Aquatic Chronic 4: H413
1 - <2,5	Triacetoxyethylsilane
	CAS: 17689-77-9, EINECS/ELINCS: 241-677-4, Reg-No.: 01-2119881778-15-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - Eye Dam. 1: H318
1 - <1,5	Oligomeric ethyl and Methylacetoxysilane
	GHS/CLP: Skin Corr. 1B: H314 - Eye Dam. 1: H318
1 - <1,5	Triacetoxy(methyl)silane
	CAS: 4253-34-3, EINECS/ELINCS: 224-221-9, Reg-No.: 01-2119962266-32-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1C: H314

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam.

Dry powder. Water spray jet. Carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:

Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Date printed 25.06.2020, Revision 25.06.2020

Version 04. Supersedes version: 03

Page 3 / 10

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

In case the product spills into drains/surface waters/groundwater, immediately inform the

authorities.

Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder,

diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.

Use barrier skin cream.

Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep in a cool place. Store in a dry place.

Protect from heat/overheating.

Specific end use(s)

See product use, SECTION 1.2

Date printed 25.06.2020, Revision 25.06.2020

Version 04. Supersedes version: 03

Page 4 / 10

SECTION 8: Exposure controls / personal protection

8.1 **Control parameters**

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

DNEL

Substance Triacetoxy(methyl)silane, CAS: 4253-34-3

Industrial, inhalative, Acute - local effects: 31 mg/m³

Industrial, inhalative, Long-term - local effects: 31 mg/m³.

general population, inhalative, Long-term - local effects: 5,1 mg/m3.

general population, inhalative, Acute - local effects: 5 mg/m³

PNEC

Substance

Triacetoxy(methyl)silane, CAS: 4253-34-3

soil, 0,145 mg/l

seawater, 0,1 mg/l.

freshwater, 1,0 mg/l

sediment (seawater), 0,34 mg/kg

sediment (freshwater), 3,4 mg/kg

sewage treatment plants (STP), 6.9 mg/L.

8.2 **Exposure controls**

Additional advice on system design Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection 0,4 mm Butyl rubber, >120 min (EN 374-1/-2/-3).

The details concerned are recommendations. Please contact the glove supplier for further

information.

Skin protection Not required under normal conditions.

Other Avoid contact with eyes and skin.

Do not inhale vapours.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, filter E (DIN EN 14387).

Thermal hazards

Delimitation and monitoring of the

environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions

Date printed 25.06.2020, Revision 25.06.2020

Version 04. Supersedes version: 03

Page 5 / 10

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form pasty
Color clear
Odor acetic

Odour threshold not determined pH-value not applicable pH-value [1%] not determined Boiling point [°C] not applicable Flash point [°C] not determined Flammability (solid, gas) [°C] not determined Lower explosion limit not applicable **Upper explosion limit** not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

Density [g/ml] 0,988 (EN ISO 1183-1)

Bulk density [kg/m³]not applicableSolubility in watervirtually insolublePartition coefficient [n-octanol/water]not determinedViscositynot applicableRelative vapour density determinednot determined

in air

Evaporation speed not determined

Melting point [°C] not determined

Autoignition temperature [°C] not determined

Decomposition temperature [°C] not determined

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Contact with moisture liberates acetic acid. Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2. Contact with moisture.

10.5 Incompatible materials

Strong oxidizing agent.

Date printed 25.06.2020, Revision 25.06.2020

Version 04. Supersedes version: 03

Page 6 / 10

10.6 Hazardous decomposition products

In the case of heating (150-180°C) following modest (decomposition) products may occure: Formaldehyde.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.:

dermal, Based on the available information, the classification criteria are not fulfilled.:

ATE-mix, oral, > 2000 mg/kg.

Substance

Triacetoxyethylsilane, CAS: 17689-77-9

LD50, oral, Rat: 380 mg/kg (OECD 401).

Triacetoxy(methyl)silane, CAS: 4253-34-3

LD50, oral, Rat: 1600 mg/kg

Serious eye damage/irritationBased on available data, the classification criteria are not met.

Toxicological data of complete product are not available.

No classification due to substance-specific concentration limits.

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Toxicological data of complete product are not available.

No classification due to substance-specific concentration limits.

Respiratory or skin sensitisationDoes not contain a relevant substance that meets the classification criteria.

Specific target organ toxicity —

single exposure

Does not contain a relevant substance that meets the classification criteria.

Specific target organ toxicity —

repeated exposure

Does not contain a relevant substance that meets the classification criteria.

Mutagenicity Does not contain a relevant substance that meets the classification criteria.

Reproduction toxicityDoes not contain a relevant substance that meets the classification criteria.

CarcinogenicityDoes not contain a relevant substance that meets the classification criteria.Aspiration hazardDoes not contain a relevant substance that meets the classification criteria.

General remarks

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

Su	heta	ance	

Triacetoxyethylsilane, CAS: 17689-77-9

LC50, (96h), Danio rerio: 251 mg/l.

EC50, (48h), Daphnia magna: 62 mg/l.

IC50, (72h), Pseudokirchneriella subcapitata: 73 mg/l.

Triacetoxy(methyl)silane, CAS: 4253-34-3

LC50, (96h), fish: > 500 mg/L.

EC50, (72h), Algae: > 500 mg/L.

EC50, (48h), Invertebrates: > 500 mg/L

Date printed 25.06.2020, Revision 25.06.2020

Version 04. Supersedes version: 03

Page 7 / 10

12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

not determined

Behaviour in sewage plant Biological degradability

not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not applicable

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 070217

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN) not

not applicable

Marine transport in accordance with

not applicable

IMDG

Air transport in accordance with IATA not applicable

Date printed 25.06.2020, Revision 25.06.2020

Version 04. Supersedes version: 03

Page 8 / 10

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

no

ADR/RID

Inland navigation (ADN)

Marine transport in accordance with

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

Date printed 25.06.2020, Revision 25.06.2020

Version 04. Supersedes version: 03

Page 9 / 10

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 **EEC-REGULATIONS**

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2015/830; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

- VOC (2010/75/CE)

0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H413 May cause long lasting harmful effects to aquatic life.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

Date printed 25.06.2020, Revision 25.06.2020

Version 04. Supersedes version: 03

Page 10 / 10

16.3 Other information

Classification procedure

Modified position

SECTION 3 been added: Benzene, mono- C12- 13- branched alkyl derivs., fractionation

bottoms

SECTION 3 deleted: Benzene, C14-30-alkyl derivs.

SECTION 2 been added: Further hazards were not determined with the current level of

knowledge.

SECTION 8 been added: In the event of occupational exposure limits being exceeded or of

inadequate ventilation: wear appropriate respiratory protection.

SECTION 13 been added: SECTION 13 deleted: SECTION 13 been added: SECTION 13 deleted:

Copyright: Chemiebüro®