

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Deck Caulk 510

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Sealing material

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Ramsauer GmbH & Co KG
Alte Bundesstraße 147
5350 Strobl / Wolfgangsee / AUSTRIA
Phone +43 (0)6135 8205 0
Fax +43 (0)6135 8205-250
Homepage www.ramsauer.eu
E-mail office@ramsauer.eu

Address enquiries to

Technical information

office@ramsauer.eu

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body

+43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word

WARNING

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice / attention.

Special labelling

Contains: N-[3-(Trimethoxysilyl)propyl]ethylenediamine, Bis-(2,2,6,6,-tetramethyl-4-piperidinyl) sebacate. EUH208 May produce an allergic reaction.

2.3 Other hazards

Human health dangers

Contact with moisture liberates Methanol.

Environmental hazards

Does not contain any PBT or vPvB substances.
Contains no ingredients with endocrine-disrupting properties.

Other hazards

Further hazards were not determined with the current level of knowledge.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 2 / 13

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - <3	3-(Trimethoxysilyl)propylamine CAS: 13822-56-5, EINECS/ELINCS: 237-511-5, Reg-No.: 01-2119510159-45-XXXX GHS/CLP: Eye Dam. 1: H318 - Skin Irrit. 2: H315
0.1 - <1	N-[3-(Trimethoxysilyl)propyl]ethylenediamine CAS: 1760-24-3, EINECS/ELINCS: 217-164-6 GHS/CLP: Skin Sens. 1B: H317 - Eye Dam. 1: H318 - STOT SE 3: H335
0.1 - <1	Bis-(2,2,6,6,-tetramethyl-4-piperidinyl) sebacate CAS: 52829-07-9, EINECS/ELINCS: 258-207-9, Reg-No.: 01-2119537297-32-XXXX GHS/CLP: Eye Dam. 1: H318 - Aquatic Acute 1: H400 - Aquatic Chronic 2: H411

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects
Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide.
Foam.
Dry powder.
Water spray jet.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:
Carbon monoxide (CO)
Nitrogen oxides (NOx).

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 3 / 13

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder, diatomaceous earth).

Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.

Use barrier skin cream.

Do not eat, drink, smoke or take drugs at work.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep in a cool place. Store in a dry place.

Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 4 / 13

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES
Methanol
CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X, Reg-No.: 01-2119433307-44-XXXX
Eight hours: 200 ppm, 260 mg/m ³ , H

DNEL

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
Industrial, inhalative, Acute - systemic effects, 260 mg/m ³
Industrial, dermal, Long-term - systemic effects, 1 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 7.1 mg/m ³
general population, inhalative, Long-term - systemic effects, 1.7 mg/m ³
general population, inhalative, Acute - systemic effects, 50 mg/m ³
general population, oral, Long-term - systemic effects, 8 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 0.5 mg/kg bw/day
Bis-(2,2,6,6,-tetramethyl-4-piperidiny)l sebacate, CAS: 52829-07-9
Industrial, dermal, Long-term - systemic effects, 1.6 mg/kg bw/day
Industrial, inhalative, Acute - systemic effects, 2.82 mg/m ³
Industrial, inhalative, Long-term - systemic effects, 2.82 mg/m ³
general population, oral, Long-term - systemic effects, 400 µg/kg bw/day
general population, dermal, Long-term - systemic effects, 800 µg/kg bw/day
general population, inhalative, Long-term - systemic effects, 690 µg/m ³

PNEC

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
soil, 45 µg/kg soil dw
sediment (seawater), 120 µg/kg sediment dw
sediment (freshwater), 1.2 mg/kg sediment dw
sewage treatment plants (STP), 13 mg/L
seawater, 33 µg/L
freshwater, 330 µg/L
Bis-(2,2,6,6,-tetramethyl-4-piperidiny)l sebacate, CAS: 52829-07-9
sediment (seawater), 2.9 mg/kg
sediment (freshwater), 29 mg/kg
sewage treatment plants (STP), 1 mg/L
seawater, 1.88 µg/L
freshwater, 18.8 µg/L

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 5 / 13

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0.7 mm Butyl rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Do not inhale vapours.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, filter A. (DIN EN 14387)
Thermal hazards	no
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	pasty
Color	various
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not determined
Boiling point [°C]	not applicable
Flash point [°C]	not determined
Flammability	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm³]	not determined
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not determined
Kinematic viscosity	not applicable
Relative vapour density	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined
Particle characteristics	No information available.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 6 / 13

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

See SECTION 7
Contact with moisture.

10.5 Incompatible materials

Strong oxidizing agent.

10.6 Hazardous decomposition products

Contact with moisture liberates Methanol.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity Based on available data, the classification criteria are not met.

Product
oral, Based on the available information, the classification criteria are not fulfilled.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
LD50, oral, Rat, 2.97 mL/kg bw, OECD 401
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
LD50, oral, Rat, > 2000 mg/kg
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LD50, oral, Rat, 2995 mg/kg

Acute dermal toxicity Based on available data, the classification criteria are not met.

Product
dermal, Based on the available information, the classification criteria are not fulfilled.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
LD50, dermal, Rabbit, 11.3 mL/kg bw, OECD 402
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
LD50, dermal, Rat, > 2000 mg/kg
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LD50, dermal, Rat, > 2000 mg/kg

Acute inhalational toxicity Based on available data, the classification criteria are not met.

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
LC50, inhalative, Rat, 7.7 mg/l (4 h)

Serious eye damage/irritation Irritant

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
Eye, Rabbit, OECD 405, corrosive
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
OECD 405, Causes serious eye damage.
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
Rabbit, OECD 405, Causes serious eye damage.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
dermal, Rabbit, OECD 404, irritant

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 8 / 13

Bis-(2,2,6,6,-tetramethyl-4-piperidiny)l sebacate, CAS: 52829-07-9

Rabbit, OECD 404, non-irritating

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

Rabbit, OECD 404, Slight irritant effect - does not require labelling.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.
May cause an allergic skin reaction.

Substance

3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5

dermal, Guinea pig, OECD 406, non-sensitizing

Bis-(2,2,6,6,-tetramethyl-4-piperidiny)l sebacate, CAS: 52829-07-9

Guinea pig, OECD 406, non-sensitizing

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

dermal, mouse, OECD 429, sensitising

dermal, Guinea pig, OECD 406, sensitising

Specific target organ toxicity — single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity — repeated exposure

Based on available data, the classification criteria are not met.

Substance

3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5

NOAEL, oral, Rat, 100 mg/kg bw/day, OECD 408, adverse effect observed

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

NOAEL, oral, Rat, > 500 mg/kg (28d), OECD 422, no adverse effect observed

Mutagenicity

This product contains one or more substances of Muta. 2.
(CAS: 22673-19-4)

Substance

3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5

in vitro, OECD 471, negativ

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

in vitro, OECD 476, negativ

in vitro, OECD 471, negativ

Reproduction toxicity

This product contains one or more substances of categorie Repr. 1B (CLP).
(CAS: 22673-19-4)

- Fertility

Substance

3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5

NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 414, no adverse effect observed

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

NOAEL, oral, Rat, >= 500 mg/kg, OECD 422

- Development

Substance

3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5

NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 414, no adverse effect observed

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

NOAEL, oral, Rat, >= 500 mg/kg, OECD 422

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 9 / 13

Carcinogenicity	Does not contain a relevant substance that meets the classification criteria.
Aspiration hazard	Based on available data, the classification criteria are not met.
General remarks	Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties	Contains no ingredients with endocrine-disrupting properties.
11.2.2 Other information	none

SECTION 12: Ecological information

12.1 Toxicity

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
LC50, (96h), fish, 934 mg/L
EC50, (72h), Algae, >603 - 1000 mg/L
EC50, (48h), Daphnia magna, 331 mg/L
Bis-(2,2,6,6,-tetramethyl-4-piperidiny)l sebacate, CAS: 52829-07-9
LC50, (48h), Invertebrates, 8.58 mg/L
LC50, (96h), fish, 4.4 mg/L
EC50, (72h), Algae, 705 - 1900 µg/L
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LC50, (96h), Danio rerio, 597 mg/l
EC50, (16h), Pseudomonas putida, 67 mg/l
EC50, (48h), Daphnia magna, 81 mg/l
IC50, (72h), Algae, 8.8 mg/l (OECD 201)
NOEC, (14d), >= 1000 mg/kg (Eisenia fetida; OECD 207)
NOEC, (21d), Daphnia magna, > 1 mg/l
NOEC, (72h), Algae, 3.1 mg/l (OECD 201)

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not applicable

12.5 Results of PBT and vPvB assessment

Does not contain a relevant substance that meets the classification criteria.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 10 / 13

12.7 Other adverse effects

Ecological data of complete product are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

070216*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 11 / 13

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148

- **Comment on component parts** Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- **Annex I (REACH)** The product is not subject to Annex I restrictions.

- **Annex XIV (REACH)** According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.

- **Annex XVII (REACH)** According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions.

3

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (EU):

- **Observe employment restrictions for people** Observe employment restrictions for young people.

- **VOC (2010/75/CE)** 0 %

15.2 Chemical safety assessment

not applicable

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 12 / 13

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H335 May cause respiratory irritation.
H317 May cause an allergic skin reaction.
H315 Causes skin irritation.
H318 Causes serious eye damage.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@/TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

Classification procedure

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Modified position

SECTION 6 been added: Use personal protective equipment (protective gloves, safety glasses, protective clothing).

SECTION 9 been added: liquid

**Safety Data Sheet according to REACH-Regulation (EC) 1907/2006 amended by
regulation (EC) 2020/878 (EU)**

Deck Caulk 510

**Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee**

Date printed 02.11.2023, Revision 02.11.2023

Version 1.0

Page 13 / 13

Copyright: Chemiebüro®