

Ramsauer GmbH & Co KG  
5350 Strobl / Wolfgangsee / AUSTRIA

Date printed 21.07.2025, Revision 11.04.2023

Version 1.0

Page 1 / 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

4023

UFI: -

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Adhesive

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

#### Company

Ramsauer GmbH & Co KG  
Alte Bundesstraße 147  
5350 Strobl / Wolfgangsee / AUSTRIA  
Phone +43(0)6135 8205-0  
Fax +43(0)6135 8205-250  
Homepage [www.ramsauer.eu](http://www.ramsauer.eu)  
E-mail [office@ramsauer.eu](mailto:office@ramsauer.eu)

#### Address enquiries to

##### Technical information

[office@ramsauer.eu](mailto:office@ramsauer.eu)

##### Safety Data Sheet

[sdb@chemiebuero.de](mailto:sdb@chemiebuero.de)

### 1.4 Emergency telephone number

#### Advisory body

Österreich: +43(0) 1 406 43 43 (24h)

#### Company

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

#### Hazard pictograms

none

#### Signal word

none

#### Hazard statements

none

#### Precautionary statements

none

#### Special labelling

EUH210 Safety data sheet available on request.

Contains: N-[3-(Trimethoxysilyl)propyl]ethylenediamine. EUH208 May produce an allergic reaction.

### 2.3 Other hazards

#### Human health dangers

Frequent persistent contact with the skin can cause skin irritation.  
Contact with moisture liberates Methanol.

#### Environmental hazards

Does not contain any PBT or vPvB substances.  
Contains no ingredients with endocrine-disrupting properties.

#### Other hazards

Further hazards were not determined with the current level of knowledge.

Ramsauer GmbH & Co KG  
5350 Strobl / Wolfgangsee / AUSTRIA

Date printed 21.07.2025, Revision 11.04.2023

Version 1.0

Page 2 / 11

### SECTION 3: Composition / Information on ingredients

#### 3.1 Substances

not applicable

#### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
0.1 - <1	N-[3-(Trimethoxysilyl)propyl]ethylenediamine
	CAS: 1760-24-3, EINECS/ELINCS: 217-164-6
	GHS/CLP: Skin Sens. 1B: H317 - Eye Dam. 1: H318 - STOT SE 3: H335

#### Comment on component parts

The quartz in this preparation is not available on foreseeable use.  
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Take off contaminated clothing and wash before reuse.

##### Inhalation

Ensure supply of fresh air.  
In the event of symptoms seek medical treatment.

##### Skin contact

In case of contact with skin wash off immediately with soap and water.  
Consult a doctor if skin irritation persists.

##### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

##### Ingestion

Seek medical advice immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions  
Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water spray jet.  
Dry powder.  
Carbon dioxide.  
Foam.

##### Extinguishing media that must not be used

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:  
Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Ramsauer GmbH & Co KG  
5350 Strobl / Wolfgangsee / AUSTRIA

Date printed 21.07.2025, Revision 11.04.2023

Version 1.0

Page 3 / 11

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder, diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures necessary if used correctly.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

Do not eat or drink when working.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep in a cool place. Store in a dry place.

Protect from heat/overheating.

Keep away from frost.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

Ramsauer GmbH & Co KG  
5350 Strobl / Wolfgangsee / AUSTRIA

Date printed 21.07.2025, Revision 11.04.2023

Version 1.0

Page 4 / 11

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

Substance
Methanol
CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X, Reg-No.: 01-2119433307-44-XXXX
Long-term exposure: 200 ppm, 266 mg/m <sup>3</sup> , Sk
Short-term exposure (15-minute): 250 ppm, 333 mg/m <sup>3</sup>

#### Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Methanol
CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X, Reg-No.: 01-2119433307-44-XXXX
Eight hours: 200 ppm, 260 mg/m <sup>3</sup> , H

### 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	0.7 mm Butyl rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
<b>Skin protection</b>	Protective clothing (EN 340)
<b>Other</b>	Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
<b>Respiratory protection</b>	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
<b>Thermal hazards</b>	not applicable
<b>Delimitation and monitoring of the environmental exposition</b>	Protect the environment by applying appropriate control measures to prevent or limit emissions.

Ramsauer GmbH & Co KG  
5350 Strobl / Wolfgangsee / AUSTRIA

Date printed 21.07.2025, Revision 11.04.2023

Version 1.0

Page 5 / 11

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	pasty
Color	various
Odor	characteristic
Odour threshold	not determined
pH-value	not determined
pH-value [1%]	not determined
Boiling point [°C]	not applicable
Flash point [°C]	not applicable
Flammability	not relevant
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm³]	not determined
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	not determined
Kinematic viscosity	not applicable
Relative vapour density	not relevant
Evaporation speed	not relevant
Melting point [°C]	not relevant
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined
Particle characteristics	No information available.

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

### 10.4 Conditions to avoid

See SECTION 7.2.

**Ramsauer GmbH & Co KG**  
**5350 Strobl / Wolfgangsee / AUSTRIA**

Date printed 21.07.2025, Revision 11.04.2023

Version 1.0

Page 6 / 11

#### **10.5 Incompatible materials**

not determined

#### **10.6 Hazardous decomposition products**

Contact with moisture liberates Methanol.

Ramsauer GmbH & Co KG  
5350 Strobl / Wolfgangsee / AUSTRIA

Date printed 21.07.2025, Revision 11.04.2023

Version 1.0

Page 7 / 11

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute oral toxicity** Based on available data, the classification criteria are not met.

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

LD50, oral, Rat, 2995 mg/kg

**Acute dermal toxicity** Based on available data, the classification criteria are not met.

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

LD50, dermal, Rat, > 2000 mg/kg

**Acute inhalational toxicity** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

Rabbit, OECD 405, Causes serious eye damage.

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

Rabbit, OECD 404, Slight irritant effect - does not require labelling.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.  
May cause an allergic skin reaction.

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

dermal, mouse, OECD 429, sensitising

dermal, Guinea pig, OECD 406, sensitising

**Specific target organ toxicity — single exposure** Based on available data, the classification criteria are not met.

**Specific target organ toxicity — repeated exposure** Based on available data, the classification criteria are not met.

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

NOAEL, oral, Rat, > 500 mg/kg (28d), OECD 422, no adverse effect observed

**Mutagenicity** Does not contain a relevant substance that meets the classification criteria.

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

in vitro, OECD 476, negativ

in vitro, OECD 471, negativ

**Reproduction toxicity** Does not contain a relevant substance that meets the classification criteria.

- Fertility

Substance

Ramsauer GmbH & Co KG  
5350 Strobl / Wolfgangsee / AUSTRIA

Date printed 21.07.2025, Revision 11.04.2023

Version 1.0

Page 8 / 11

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

NOAEL, oral, Rat, >= 500 mg/kg, OECD 422

#### - Development

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

NOAEL, oral, Rat, >= 500 mg/kg, OECD 422

#### Carcinogenicity

Does not contain a relevant substance that meets the classification criteria.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### General remarks

Toxicological data of complete product are not available.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

#### Other information

none

## SECTION 12: Ecological information

### 12.1 Toxicity

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

LC50, (96h), Danio rerio, 597 mg/l

EC50, (16h), Pseudomonas putida, 67 mg/l

EC50, (48h), Daphnia magna, 81 mg/l

IC50, (72h), Algae, 8.8 mg/l (OECD 201)

NOEC, (14d), >= 1000 mg/kg (Eisenia fetida; OECD 207)

NOEC, (21d), Daphnia magna, > 1 mg/l

NOEC, (72h), Algae, 3.1 mg/l (OECD 201)

### 12.2 Persistence and degradability

#### Behaviour in environment compartments

not determined

#### Behaviour in sewage plant

not determined

#### Biological degradability

not determined

### 12.3 Bioaccumulative potential

not determined

### 12.4 Mobility in soil

not determined

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.



Ramsauer GmbH & Co KG  
5350 Strobl / Wolfgangsee / AUSTRIA

Date printed 21.07.2025, Revision 11.04.2023

Version 1.0

Page 9 / 11

## 12.7 Other adverse effects

Ecological data of complete product are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

For recycling, consult manufacturer.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

#### Waste no. (recommended)

080410

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

#### Waste no. (recommended)

150102

## SECTION 14: Transport information

### 14.1 UN number or ID number

#### Transport by land according to ADR/RID

not applicable

#### Inland navigation (ADN)

not applicable

#### Marine transport in accordance with IMDG

not applicable

Air transport in accordance with IATA not applicable

### 14.2 UN proper shipping name

#### Transport by land according to ADR/RID

NO DANGEROUS GOODS

#### Inland navigation (ADN)

NO DANGEROUS GOODS

#### Marine transport in accordance with IMDG

NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Ramsauer GmbH & Co KG  
5350 Strobl / Wolfgangsee / AUSTRIA

Date printed 21.07.2025, Revision 11.04.2023

Version 1.0

Page 10 / 11

#### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people Observe employment restrictions for young people.

- VOC (2010/75/CE) 0 %

Ramsauer GmbH & Co KG  
5350 Strobl / Wolfgangsee / AUSTRIA

Date printed 21.07.2025, Revision 11.04.2023

Version 1.0

Page 11 / 11

## 15.2 Chemical safety assessment

not applicable

## SECTION 16: Other information

### 16.1 Hazard statements (SECTION 3)

H335 May cause respiratory irritation.  
H318 Causes serious eye damage.  
H317 May cause an allergic skin reaction.

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
EL50 = Median effective loading  
ELINCS = European List of Notified Chemical Substances  
EmS = Emergency Schedules  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
IVIS = In vitro irritation score  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
LL50 = Median lethal loading  
LQ = Limited Quantities  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV®/TWA = Threshold limit value – time-weighted average  
TLV®STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

Classification procedure

Modified position

none

Copyright: Chemiebüro®